

# Advanced Healthcare



# Business Series

 **CORTELCO**<sup>TM</sup>  
**Solutions Guide**

# Armored Series



# Headsets

### 2554 Wall Telephones with Armored Cord

- Indoor/Outdoor
- Stainless Steel Body and Keypad
- Handset with Armored Cord
- Hearing Aid Compatible Receiver/Noise Cancelling Microphone
- Lightning Resistant (Tested to ITU-T K.21)
- Waterproof (Rated IP65)
- Telephone Line Powered

Standard Pack - 6  
Standard Wt. / Pack - 57 lbs.



**Model VR16SS**



**Model 2554\*\*AHC20M**

- Assembled in USA
- Wall Telephone with Dial Pad
- Armored Stainless Steel Cord
- Metal Hookswitch
- ADA VC Compliant

Colors: \*\* = 00-Black, 47-Red

Standard Pack - 8  
Standard Wt. / Pack - 24 lbs.



**Model 2554\*\*AHCNDL**

- Assembled in USA
- Wall Telephone with No Dial Pad
- Armored Stainless Steel Cord
- Metal Hookswitch
- ADA VC Compliant

Colors: \*\* = 00-Black, 47-Red

Standard Pack - 8  
Standard Wt. / Pack - **24 lbs.**



**Model 2554\*\*ARC20M**

- Assembled in USA
- Wall Telephone with Dial Pad
- Armored Stainless Steel Cord
- Plastic Hookswitch
- ADA VC Compliant

Colors: \*\* = 00-Black, 47-Red

Standard Pack - 8  
Standard Wt. / Pack - 20 lbs.



**Model 2554\*\*ARCNDL**

- Assembled in USA
- Wall Telephone with No Dial Pad
- Armored Stainless Steel Cord
- Plastic Hookswitch
- ADA VC Compliant

Colors: \*\* = 00-Black, 47-Red

Standard Pack - 8  
Standard Wt. / Pack - 20 lbs.

# Headset Series

## VT9000DECT

Wireless, extended range headset with noise cancelling, volume control and mute. Wideband audio for improved sound quality. (Does not include handset lifter)



## VT5000UNC-D

Dual earpiece, Noise cancelling, Adjustable mic boom w/ auto-mute. (Requires lower half cable QD-RJ09 or QD-2.5mm)



## VT2000NC

Single earpiece, Noise cancelling, Adjustable mic boom. (Requires lower half cable QD-RJ09 or QD-2.5mm)



## QD-RJ09

Lower half cable with quick disconnect and RJ9 connector. Compatible with Cortelco 7 Series (single line & 2 line only) and Colleague Series telephones, as well as many VOIP telephones.



## QD-2.5mm

Lower half cable with quick disconnect and 2.5mm plug. Compatible with Cortelco 12 Series, 9 Series, 2740 & 2750 4-line, and 8780 telephones.



## VTAMP1

Headset amplifier and interface module with volume control, auto phone pick up, and mute switch.



# 12 Series

Basic Non-CID

Speaker Non-CID

Single Line CID

Line Powered CID

Two Line CID



**1201**

Model 120100V0E27F

**1203**

Model 120300V0E27S

**1210**

Model 121000TP227S

**1211**

Model 121100TP227S

**1220**

Model 122000TP227S

## Features

	1201	1203	1210	1211	1220
Flash (100/300/600 mSec)	•	•			
Hold with Indicator	•	•	•	•	•
PBX Hold (Programmable)			•	•	•
Redial	•	•	•	•	•
Enhanced Redial - last 15 Numbers			•	•	•
Pause	•	•	•	•	•
Mute with Indicator	•	•	•	•	•
Three One-Touch Memory Locations	•	•			
Ten Two-Touch Memory Locations	•	•			
Tone/Pulse Switchable	•	•			
Ringer Volume Control	•	•			
Handset Volume Control (~10dB)	•	•			
Desk/Wall Mountable	•	•	•	•	•
90V Message Waiting	•	•			
2.5 mm Headset Jack		•	•	•	•
Speakerphone		•	•	•	•
Conference					•
CallerID/Call Waiting – Memory for 50 calls			•	•	•
Wide Angle, Adjustable LCD			•	•	•
Voice Mail Indication (FSK/Stutter/90V/24V)			•	•	•
On Hook Pre-dial			•	•	•
Directory Button (Save up to 99 Names & Numbers)			•	•	•
5 One Touch/15 Two Touch Speed Dial			•	•	
5 One Touch/5 Two Touch Speed Dial					•
Programmable Flash Time (100/120/300/600 mSec)			•	•	•
Handset Receive Volume Control (8 levels)			•	•	•
Programmable Ring Cadence (5 Pos.)			•	•	•
Programmable Ring Volume (4 levels/off)			•	•	•
Data Port	•	•	•	•	•
Headset Button, Release Button			•	•	•
7-10-11 Button			•	•	•
Contrast Button			•	•	
Three languages (Eng./French/Spanish)			•	•	•
Programmable Area Code			•	•	•
Programmable LDS Code			•	•	•
Programmable PBX Access Code			•	•	•
Programmable VIP Alert			•	•	•
Clock			•	•	•
Call Timer			•	•	•
7.5V DC Adaptor			•		•
Standard Pack	8	8	8	8	8
Standard Weight per Pack	25 lbs.	25 lbs.	29 lbs.	29 lbs.	29 lbs.

Available in Black only

# 9 Series

Multi-Feature Telephone



Multi-Feature Speaker Telephone



Two-Line Telephone



Features	9120	9125	9225
Lines	1	1	2
Caller ID with Call Waiting	•	•	•
99 CID Memory	•	•	•
Trilingual Caller ID (English/Spanish/French)	•	•	•
3 Line Blue Backlit Display	•	•	•
Voice Message Waiting Indicator/FSK	•	•	•
Mute	•	•	•
Hold	•	•	•
Speed Dial Locations (one touch)	2	13	10
Speed Dial Locations (two touch)	10	10	10
Flash	•	•	•
Redial	•	•	•
Speakerphone		•	•
2.5mm Headset Jack	•	•	•
Adjustable Stand	•	•	•
Desk/Wall Mountable	•	•	•
Hearing Aid Compatible	•	•	•
One Touch Call Forward		•	•
Call Waiting Off Button		•	•
End Call Button		•	•
Conference			•
Clear Message Button		•	•
Speaker Volume Control		•	•
Handset Volume Control	•	•	•
Ringer Low / High / Off	•	•	•
Pause		•	•
Standard Pack	8	8	8
Standard Weight Per Pack	24 lbs.	25 lbs.	27 lbs.

**Available in Black only**

# 7 Series

Single Line Telephone



**2700**  
Model 270000TP227S

2 Line Telephone



**2720**  
Model 272000TP227S

Line Powered SIL



**2730**  
Model 273000TP227E

Features	2700	2720	2730
<b>Single-Line</b>	•		•
<b>Two-Line</b>		•	
<b>Caller ID with Call Waiting</b>	•	•	•
<b>99 CID Memory</b>	•	•	•
<b>Wide Angle LCD</b>	•	•	•
3-Line Liquid Crystal Display	•	•	•
Wide Angle (Super Twist)	•	•	•
Trilingual: English, Spanish and French	•	•	•
Displays Caller Name, Phone Number and Time/Date	•	•	•
Real Time Clock and Conversation Duration Timer (CID Service Not Required)	•	•	•
Displays Active Line	•	•	•
<b>Voice Mail Indication</b>	•	•	•
FSK 90 Volt			
Stutter 24 Volt			
<b>Mute</b>	•	•	•
<b>Hold</b>	•	•	•
<b>Hold (PBX)</b>	•	•	•
<b>On Hook Predial</b>	•	•	•
<b>Directory Name Match</b>	•	•	•
<b>10 Direct Memories</b>	•	•	•
<b>Flash</b>	•	•	•
<b>Redial - Last 10 Numbers</b>	•	•	•
<b>Conference</b>		•	
<b>Data Port</b>	•	•	•
<b>Speakerphone</b>	•	•	•
<b>2.5 mm / RJ Type Headset Jack</b>	•	•	•
<b>Desk / Wall Mountable</b>	•	•	•
<b>9V DC Adaptor</b>	•	•	
<b>Standard Pack</b>	8	8	8
<b>Standard Weight Per Pack</b>	28 lbs.	29 lbs.	25 lbs.

Available in Black only

# 7 Series

4-Line Intercom Speakerphone



**2740**  
Model  
274000TP227S

4-Line Intercom Speakerphone



**2750**  
Model  
275000TP227S

Features	2740	2750
Up to 4 Lines	•	•
Expands to 16 Stations	•	•
3 Way Conference	•	•
Speakerphone	•	•
Flash	•	•
Hold	•	•
Mute	•	•
Transfer	•	•
Selectable Ring Tones (7)	•	•
Memory Dial	•	•
Toll Restriction	•	•
Call Privacy On/Off	•	•
Intercom	•	•
Paging	•	•
Do Not Disturb	•	•
Redial List	•	•
Automatic Line Selection	•	•
Backlit LCD	•	•
Type II CID	•	•
Call Timer	•	•
Directory (40 number)	•	•
Line Reserve	•	•
Static Memory	•	•
Volume Control	•	•
Headset (2.5mm)	•	•
5 Direct Memories	•	•
Auto Attendant		•
Voice Mail		•
Standard Pack	4	4
Standard Weight Per Pack	16 lbs.	16 lbs.

Available in Black only



**2742**  
Model  
2742CA000PAK

Module to allow connection of an Analog Device (i.e., cordless phone) to a 2740 or 2750 Telephone

Standard Pack - 10  
Standard Wt. / Pack - 20.5 lbs.



**2743**  
Model  
2743FM000PAK

Adds: Music on Hold, External Paging or Door Monitor

Standard Pack - 10  
Standard Wt. / Pack - 24.5 lbs.

# Enhanced Colleague Series

Multi-Feature Telephone



**2210**

Model 2210\*\*TP227E

Disposition Plus Telephone



**2200**

Model 2200\*\*TP227E

Two-Line Telephone



**2220**

Model 2220\*\*TP227E

Features	2210	2200	2220
<b>Single-Line</b>	•	•	
<b>Two-Line</b>			•
<b>Caller ID with Call Waiting</b>	•	•	•
<b>80 Message CID Memory</b>	•	•	
<b>99 Message CID Memory</b>			•
<b>Wide Angle LCD</b>	•	•	•
3 Line Ratchet-Type	•	•	•
Backlit	•	•	•
Wide Angle (Super Twist)	•	•	•
Bilingual and trilingual	•	•	•
Icons: New Call, Repeat Call Forward Call, Toll Call and MW	•	•	•
<b>Disposition Buttons</b>		•	
<b>Voice Message Indication</b>	•	•	•
FSK	•	•	•
Stutter	•	•	•
90 Volt / 24 Volt	•	•	•
<b>Speakerphone</b>	•	•	•
<b>Mute with LED</b>	•	•	•
<b>Electronic Hold</b>	•	•	•
<b>10 Direct Memories</b>	•	•	•
<b>Flash</b>	•	•	•
<b>Redial</b>	•	•	•
<b>High Profile Ring Indicator</b>	•	•	•
<b>Multi-Step Volume Control</b>	•	•	•
<b>Data Port</b>	•	•	•
<b>Tone/Pulse Switchable</b>	•	•	•
<b>Dual Headset Jacks</b>	•	•	•
Standard Operator RJ Type Standard Cell Phone 2.5mm			
<b>Conference</b>			•
<b>Standard Pack</b>	8	8	8
<b>Standard Weight Per Pack</b>	23 lbs.	23 lbs.	23 lbs.

## COLOR KEY\*\*

5th and 6th digits in model number  
Frost - 21 Black - 00  
Available in both colors



# Colleague Family

Basic Telephone



**2201**

Model 2201\*\*VBA27F

Speakerphone



**2203**

Model 2203\*\*VBA27S

Two-line Speakerphone



**2205**

Model 2205\*\*VBA27S

Features	2201	2203	2205
<b>Last Number Redial</b>	•	•	•
<b>Flash</b> 100-300-600mS	•	•	•
<b>Message Waiting Lamp</b> 90 Voltage	•	•	•
<b>Handset Volume Control</b>	•	•	•
<b>Hook Delay</b> Positive Line Disconnect	•	•	•
<b>A-Lead</b>		•	•
<b>Data Jack</b>	•	•	•
<b>Hearing Aid Compatible</b>	•	•	•
<b>Hold with LED Indicator</b> Flip-Flop Type	•	•	•
<b>Desk / Wall Mountable</b>	•	•	•
<b>Customized Faceplate Available</b>	•	•	•
<b>10 One-Touch Programming Memory</b>		•	•
<b>Mute with LED Indicator</b> Flip-Flop Type		•	•
<b>Hands-Free Speakerphone w/LED Indicator</b>		•	•
<b>Headset Control Switch</b>		•	•
<b>Line In-Use Status with LED Indicator</b>			•
<b>Conference</b>			•
<b>Two Telephone Lines</b>			•
<b>Tone/Pulse Switchable</b>	•	•	•
<b>Standard Pack</b>	8	8	8
<b>Standard Weight Per Pack</b>	23 lbs.	23 lbs.	23 lbs.

**COLOR KEY\*\***

5th and 6th digits in model number  
Frost - 21 Black - 00  
Available in both colors

Line Powered



**8780**

Model 878041TP227S

## Line-Powered Telephone

- 10 Memory Buttons
- 16 Selectable Ring melodies
- 76 Caller ID Memories
- 4-Level Adjustable Ringer Volume
- Supports Type I and II CID
- Auto-Busy Redial • Hold
- Date and Time Display
- Message Waiting (90V, FSK or 24V)
- 5 Selectable Ring Cadences
- 3-Way Conference
- Color: Charcoal-41

**Standard Pack - 8**

**Standard Wt. / Pack - 21 lbs.**

## 8782

- 10 Memory Buttons • Mute with Indicator
- Data Port (RJ-11) • Message Waiting (90V, FSK)
- Tone/Pulse Dialing • Flash (100/200/300/400/500/900 mS)
- Hold with Music • Speakerphone • Pause
- Type I and II Caller ID - 76 Caller ID Memories
- Multi-Language • Redial • Call Timer
- Date and Time Display • Visual Ring Indicator
- 8 Level Ringer Volume Control • Handset Volume Control (4 levels)
- Speaker Volume Control (8 Levels) • 2.5 mm Headset Jack • Desk/Wall Mountable
- 16 Ring Melodies • Settings and Memory Retained During Power Failure • Hearing Aid Compatible
- Meets TAA Requirement • Color: Charcoal-41

**Standard Pack - 8**

**Standard Wt. / Pack - 21 lbs.**

Line Powered



**8782**

Model 878241TP227S

## ELT Ringer

Model 000123ELTPAK

### LOUD EXTERNAL RINGER

- Compact Design
- Visual Ring Indicator
- Low/High Volume Control
- Phone and Line Jack

**Standard Pack - 15**

**Standard Wt. / Pack - 3 lbs.**



## Patriot Business Telephones



Features	2193	2192	2194
Desk / Wall Mountable	•	•	•
Flash/Redial	•	•	•
Pause	•		•
Data Port	•	•	•
Local Hold w/LED	•		•
90V Message Waiting	•	•	•
20 Memory Buttons	•		
10 One-Touch Memory Buttons			•
Handsfree	•		
Headset Compatible	•		
Ringer Volume Control	•	•	•
Receiver Volume Control	•	•	•
Visual Ring Indicator	•	•	•
Standard Pack	8	12	12
Standard Weight Per Pack	22 lbs.	22 lbs.	23 lbs.

**COLOR KEY\*\***

5th and 6th digits in model number  
 Pearl Gray - 75 Black - 00  
 Available in both colors.

## Centurion Business Telephone

- Last Number Redial
- Tone/Pulse
- Ringer Volume Control
- Hearing-Aid Compatible
- Visual Ringing Indicator
- Desk/Wall Mountable
- Streamlined Directory
- Flash
- Pause
- Data Port
- 90 V. Message Waiting
- Hold
- Mute
- Last Number Redial

**Standard Pack - 8**  
**Standard Wt. / Pack - 22 lbs.**



**3691**

Model 3691\*\*V0E27F

*Extended Basic*

**COLOR KEY\*\***

5th and 6th digits in model number  
 Ash - 44 Black - 00  
 Available in both colors.

# Healthcare

**NEW  
PRODUCT**



## 5150 Advanced Healthcare

### Features:

- One Piece Phone
- Tone Dialing
- Back Ring Indicator Light
- Ringer Volume Control
- Boost Button for Patients with Hearing Loss (increases volume range to 27.5dB)
- Hearing Aid Compatible
- Designated area for Dialing Instruction Card
- #5 Key Braille Locator
- Optional Bed Rail Mount
- Lighted Keypad
- Visual Ring Indicator
- Ringer Volume Control
- Boost Button for Patients with Hearing Loss (increases volume range to 27.5dB)
- Elastomeric Faceplate
- 18 Ft. Modular Cord
- Color - White

**Standard Pack - 10**

**Standard Wt. / Pack - 6.5 lbs.**

Also available:

Bed Mount with Mounting Strap: 515015BDMNT

Mounting Strap Only (pkg. of 5): 515015MNTSTRAP

Coiled Cord: 515015CoilCord

**5150**

Model 515015V0E20M

## 9150 Basic Healthcare

### Features:

- Tone/Pulse Switchable
- Mute
- Redial
- Flash
- Handset Volume Control
- Electronic Ringer-On/Off
- One-Piece Healthcare
- Bed Rail Mount (optional)



**9150**

Model 915044V0E21J

**Standard Pack - 8**

**Standard Wt. / Pack - 12 lbs.**

## 8015 DECT Phone

**Cordless 1.8Ghz Technology**

### Features:

- DECT 6 Technology
- Caller ID/Call Waiting
- Message Waiting
- Backlit LCD Screen and Keypad
- 128 x 64 Dot Matrix LCD Display
- Phonebook with up to 50 Entries
- Redial Book with up to 10 Outgoing Calls - 10 Ring Tones
- Ringer Volume Selectable (5 Levels Plus Off)
- Key Tone On/Off Selectable
- Mute, Redial, Flash and Pause
- Headset Jack
- Color: Silver-01
- Speakerphone
- Tone/Pulse
- Belt Clip



**8015**

Model 801501TP227F

**Standard Pack - 10**

**Standard Wt. / Pack - 17 lbs.**



## Voyage



### 2005

- Flash
- Redial
- Pause
- Desk/Wall Mountable
- Ringer Volume Control
- Color: Pearl Gray-75

### 2005

Model 200575V0E21F

**Standard Pack - 12**

**Standard Wt. / Pack - 19 lbs.**

## 2933

- 6-One Touch Speed Dial Locations
- 10 Two-Touch Locations
- Redial • Pause
- Flash • Mute
- 90V Message Waiting with Indicator
- Ring Indicator
- Handset Volume Control (Hi/Lo)
- Hearing Aid Compatible
- Desk/Wall Mountable

**Standard Pack - 20**

**Standard Wt. / Pack - 30 lbs.**



### 2933

Model 293321TP227S



### 2933

Model 293300TP227S

## ezTouch



### 2400

- 3-One Touch Buttons • Desk/Wall Mountable
- Large Dial Buttons • 10-Number Memory • Flash • Redial
- Braille Raised Characters • Flashing Visual Ring
- Incoming Ringer Volume Adjustment
- Hearing Aid Compatible • Line Powered
- Color: Sandstone-85

**Standard Pack - 6**

**Standard Wt. / Pack - 15 lbs.**

### 2400

Model 240085V0E21F

## 2109

- Large Backlit LCD with adjustable contrast
- Memory Dial: 4 one-touch and 10 two-touch memory
- Caller ID Type 2 (Caller ID on Call Waiting)
- Last Number Redial • Speakerphone
- Desk/Wall Mountable
- Color: Frost-21

**Standard Pack - 8**

**Standard Wt. / Pack - 18 lbs.**



### 2109

Model 210921V0E27S

# Trendline Series



**6150**  
Model 6150\*\*V0E21M



**8150**  
Model 8150\*\*V0E21F



**6350**  
Model 6350\*\*TP227F























**7150**  
Model 715021TP227F

Features	6150	8150	6350	7150
3- One Touch Memory	•			•
10-Two Touch Memory	•		•	•
Tone/Pulse Switchable	•	•	•	•
Mute	•	•	•	
Pause	•		•	•
Redial	•	•	•	•
Flash	•	•		•
Hold				•
Handset Volume Control	•	•	•	•
Electronic Ringer-On/Off	•		•	
Visual Ring Indicator	•		•	
Lighted Dial	•	•		•
Desk/Wall Mountable	•	•	•	•
Reset Button		•		
Caller ID - Type II			•	•
80 Name & Number CID			•	•
Electronic Ringer-Hi/Low/Off		•	•	•
Power Adaptor-9VDC				•
Battery Powered			•	
FSK Message Waiting			•	•
FSK/Stutter Message Waiting				•
Displays Time/Date of Call				•
Multi-Language: French Spanish/English			•	
Multi-Language: Eng./Spanish				•
New Call Indication			•	•
Backlit LCD				•
Available Color(s)	00,21	00,44,47	00,15	21
Standard Pack	8	8	8	8
Standard Weight Per Pack	12 lbs.	16 lbs.	8 lbs.	18 lbs.

## TRENDLINE - COLOR KEY\*\*

*5th and 6th digits in model number*  
Black-00, White-15, Frost-21, Light Ash-44, Cherry Red-47  
*Available in colors as indicated.*

# Desk/Wall Telephones

<b>2500</b> <b>Features</b>	 2500	 2500	 2500	 2500	 2500
	<i>Model 2500**VBA20M</i>	<i>Model 2500**VBA27M</i>	<i>Model 250044VBA20F</i>	<i>Model 250044VBA27F</i>	<i>Model 2500**VBA44M</i>
Available Colors:	00,09,13,15,44,45,47,82	00,44	44 only	44 only	13,44
Assembled in the U.S.A.	•	•	•	•	•
Desk with message waiting		•		•	
Desk with Tel-Flash			•	•	
Desk with A-Lead					•
ADA Volume Control Compliant	•	•	•	•	•
<b>2500</b> <b>Features</b>	 2500	 2500	 2500	 2500	 2500
	<i>Model 2500**VBANDL</i>	<i>Model 2500**VBA20MD</i>	<i>Model 2500**VBA57MD</i>	<i>Model 2500**VOE20MD</i>	<i>Model 2500**VOE57MD</i>
Available Colors:	00,44,47	00,44,47	00,44	00,44,47	44
Assembled in the U.S.A.	•				
Desk with Electronic Ringer				•	•
Desk with Message Waiting			•		•
Desk with Data Port		•	•		•
Desk with no dial pad	•				
Desk non-standard	•				
ADA Volume Control Compliant	•	•	•	•	•
<b>2554</b> <b>Features</b>	 2554	 2554	 2554	 2554	 2554
	<i>Model 2554**VBA20M</i>	<i>Model 255444VBA27M</i>	<i>Model 255444VBA20F</i>	<i>Model 255444VBA27F</i>	<i>Model 2554**VBA44M</i>
Available Colors:	00,09,13,15,44,45,47,82	44 only	44 only	44 only	00,44
Assembled in the U.S.A.	•	•	•	•	•
Wall with A-Lead					•
Wall with message waiting		•		•	
Wall with Tel-Flash			•	•	
ADA Volume Control Compliant	•	•	•	•	•
<b>2554</b> <b>Features</b>	 2554	 2554	 2554	 2554	 2554
	<i>Model 2554**VBANDL</i>	<i>Model 2554**VBA20MD</i>	<i>Model 2554**VBA27MD</i>	<i>Model 2554**VOE20MD</i>	<i>Model 2554**VOE27MD</i>
Available Colors:	00,44,47	00,44,47	00,44	00,44,47	00,44,47
Assembled in the U.S.A.	•				
Wall M/W			•		•
Wall with No Dial Pad	•				
ADA Volume Control Compliant	•	•	•	•	•

## 2500 / 2554 - COLOR KEY\*\*

5th and 6th digits in model number  
 Black-00, White-15, Beige-13, Ash-44, Red-47, Ivory-09, Brown-45, Slate-82  
 Available in colors as indicated

FEATURES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

	2500	2554
Standard Pack -	8	8
Standard Wt. / Pack	26 lbs.	20 lbs.



At Cortelco, our vision is to supply you with the industry's most advanced telephone products. Our products have always been based on user-friendly design, quality built to last, and supported by our strong customer service commitment.

We have formed a cohesive world-wide distribution network with partnerships that foster our same concern for giving you the highest quality service available.

- ITT/Cortelco has shipped more than 195 million telephones, more than 210,000 key telephone systems and more than 18,000 PBX/ACD systems.

- Cortelco is one of the largest providers of American manufactured 2500 model telephones.

For the latest information on all our products, please visit us at: [www.cortelco.com](http://www.cortelco.com)

## **ezTouch** *Residential / Business* **Phones**



## **7 Series** *Family of Phones*



## **9 Series** *Family of Phones*



---

**CORTELCO**  
1703 Sawyer Road  
Corinth, MS 38834  
Tel: 800-288-3132  
Fax: 662-287-3889  
[www.cortelco.com](http://www.cortelco.com)

 **CORTELCO™**

Copyright 2016 CORTELCO. All rights reserved. Information in this document is subject to change without notice. Cortelco assumes no responsibility for any errors that may appear in this document.