



Product Catalog

Cortelco

1703 Sawyer Road
Corinth, MS 38834
Tel: 800-288-3132
Fax: 662-287 3889

www.cortelco.com

Copyright 2019 CORTELCO. All rights reserved. Information in this document is subject to change with notice.
Cortelco assumes no responsibility for any errors that may appear in this document.





12 TwelVeSERIES



1210
Model 121000TP227S

Feature Phones

Armored Series

2554 Wall Telephones with Armored Cord

- Indoor/Outdoor
- Stainless Steel Body and Keypad
- Handset with Armored Cord
- Hearing Aid Compatible Receiver/Noise Cancelling Microphone
- Lightning Resistant (Tested to ITU-T K.21)
- Waterproof (Rated IP65)
- Telephone Line Powered

Standard Pack - 6
Standard Wt. / Pack - 57 lbs.



Model VR16SS



Model 2554**AHC20M

- Assembled in USA
- Wall Telephone with Dial Pad
- Armored Stainless Steel Cord
- Metal Hookswitch
- ADA VC Compliant

Colors: ** = 00-Black, 47-Red

Standard Pack - 8
Standard Wt. / Pack - 24 lbs.



Model 2554**AHCNDL

- Assembled in USA
- Wall Telephone with No Dial Pad
- Armored Stainless Steel Cord
- Metal Hookswitch
- ADA VC Compliant

Colors: ** = 00-Black, 47-Red

Standard Pack - 8
Standard Wt. / Pack - 24 lbs.



Model 2554**ARC20M

- Assembled in USA
- Wall Telephone with Dial Pad
- Armored Stainless Steel Cord
- Plastic Hookswitch
- ADA VC Compliant

Colors: ** = 00-Black, 47-Red

Standard Pack - 8
Standard Wt. / Pack - 20 lbs.



Model 2554**ARCNDL





















- Assembled in USA
- Wall Telephone with No Dial Pad
- Armored Stainless Steel Cord
- Plastic Hookswitch
- ADA VC Compliant

Colors: ** = 00-Black, 47-Red

Standard Pack - 8
Standard Wt. / Pack - 20 lbs.

Desk/Wall Telephones

12 Series

2500 Features					
Available Colors:	00,09,13,15,44,45,47,82	00,44	44 only	44 only	13,44
Assembled in the U.S.A.	•	•	•	•	•
Desk with message waiting		•	•	•	•
Desk with Tel-Flash		•	•	•	•
Desk with A-Lead		•	•	•	•
ADA Volume Control Compliant	•	•	•	•	•
2500 Features					
Available Colors:	00,44,47	00,44,47	00,44	00,44,47	44
Assembled in the U.S.A.	•	•	•	•	•
Desk with Electronic Ringer				•	•
Desk with A-Lead					
Desk with Message Waiting			•	•	•
Desk with Data Port		•	•	•	•
Desk with no dial pad	•				
Desk non-standard	•				
ADA Volume Control Compliant		•	•	•	•
2554 Features					
Available Colors:	00,09,13,15,44,45,47,82	44 only	44 only	44 only	00,44
Assembled in the U.S.A.	•	•	•	•	•
Wall with A-Lead					•
Wall with message waiting		•	•	•	•
Wall with Tel-Flash		•	•	•	•
ADA Volume Control Compliant	•	•	•	•	•
2554 Features					
Available Colors:	00,44,47	00,44,47	00,44	00,44,47	00,44,47
Assembled in the U.S.A.	•	•	•	•	•
Wall M/W			•		•
Wall with No Dial Pad	•				
ADA Volume Control Compliant		•	•	•	•

2500 / 2554 - COLOR KEY**

5th and 6th digits in model number
 Black-00, White-15, Beige-13, Ash-44, Red-47, Ivory-09, Brown-45, Slate-82
 Available in colors as indicated

FEATURES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

Standard Pack - 2500 2554
 8 8
 Standard Wt. / Pack 26 lbs. 20 lbs.



Features	1201	1203	1210	1211	1220
Flash (100/300/600 mSec)	•	•			
Hold with Indicator	•	•	•	•	•
PBX Hold (Programmable)			•	•	•
Redial	•	•	•	•	•
Enhanced Redial - last 15 Numbers			•	•	•
Pause	•	•	•	•	•
Mute with Indicator	•	•	•	•	•
Three One-Touch Memory Locations	•	•			
Ten Two-Touch Memory Locations	•	•			
Tone/Pulse Switchable	•	•			
Ringer Volume Control	•	•			
Handset Volume Control (~10dB)	•	•			
Desk/Wall Mountable	•	•	•	•	•
90V Message Waiting	•	•			
2.5 mm Headset Jack		•	•	•	•
Speakerphone		•	•	•	•
Conference					•
CallerID/Call Waiting - Memory for 50 calls			•	•	•
Wide Angle, Adjustable LCD			•	•	•
Voice Mail Indication (FSK/Stutter/90V/24V)			•	•	•
On Hook Pre-dial			•	•	•
Directory Button			•	•	•
(Save up to 99 Names & Numbers)					
5 One Touch/15 Two Touch Speed Dial			•	•	
5 One Touch/5 Two Touch Speed Dial					•
Programmable Flash Time (100/120/300/600 mSec)			•	•	•
Handset Receive Volume Control (8 levels)			•	•	•
Programmable Ring Cadence (5 Pos.)			•	•	•
Programmable Ring Volume (4 levels/off)			•	•	•
Data Port	•	•	•	•	•
Headset Button, Release Button			•	•	•
7-10-11 Button			•	•	•
Contrast Button			•	•	•
Three languages (Eng./French/Spanish)			•	•	•
Programmable Area Code			•	•	•
Programmable LDS Code			•	•	•
Programmable PBX Access Code			•	•	•
Programmable VIP Alert			•	•	•
Clock			•	•	•
Call Timer			•	•	•
7.5V DC Adaptor			•	•	•
Standard Pack	8	8	8	8	8
Standard Weight per Pack	25 lbs.	25 lbs.	29 lbs.	29 lbs.	29 lbs.

Available in Black only

FEATURES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

9 Series

Trendline Series

Multi-Feature Telephone



9120
Model 91200TP227M

Multi-Feature Speaker Telephone



9125
Model 912500TP227S

Two-Line Telephone



9225
Model 922500TP227S



6150
Model 6150**V0E21M



8150
Model 8150**V0E21F



6350
Model 6350**TP227F

Features	9120	9125	9225
Lines	1	1	2
Caller ID with Call Waiting	•	•	•
99 CID Memory	•	•	•
Trilingual Caller ID (English/Spanish/French)	•	•	•
3 Line Blue Backlit Display	•	•	•
Voice Message Waiting Indicator/FSK	•	•	•
Mute	•	•	•
Hold	•	•	•
Speed Dial Locations (one touch)	2	13	10
Speed Dial Locations (two touch)	10	10	10
Flash	•	•	•
Redial	•	•	•
Speakerphone	•	•	•
2.5mm Headset Jack	•	•	•
Adjustable Stand	•	•	•
Desk/Wall Mountable	•	•	•
Hearing Aid Compatible	•	•	•
One Touch Call Forward	•	•	•
Call Waiting Off Button	•	•	•
End Call Button	•	•	•
Conference	•	•	•
Clear Message Button	•	•	•
Speaker Volume Control	•	•	•
Handset Volume Control	•	•	•
Ringer Low / High / Off	•	•	•
Pause	•	•	•
Standard Pack	8	8	8
Standard Weight Per Pack	24 lbs.	25 lbs.	27 lbs.

Available in Black only

Features	6150	8150	6350
3-Touch Memory	•		
10-Two Touch Memory	•		•
Tone/Pulse Switchable	•	•	•
Mute	•	•	•
Pause	•	•	•
Redial	•	•	•
Flash	•	•	
Hold			
Handset Volume Control	•	•	•
Electronic Ringer-On/Off	•		•
Visual Ring Indicator	•		•
Lighted Dial	•	•	
Desk/Wall Mountable	•	•	•
Reset Button		•	
One-Piece Healthcare			
Caller ID - Type II			•
80 Name & Number CID			•
Electronic Ringer-Hi/Low/Off		•	•
Power Adaptor-9VDC			
Battery Powered			•
FSK Message Waiting			•
FSK/Stutter Message Waiting			
Displays Time/Date of Call			
Multi-Language: French			
Spanish/English			•
Multi-Language: Eng./Spanish			
New Call Indication			•
Backlit LCD			
Available Color(s)	00,21	00,44,47	00,15
Bed Rail Mount (optional)			
Standard Pack	8	8	8
Standard Weight Per Pack	12 lbs.	16 lbs.	8 lbs.

TRENDLINE - COLOR KEY**

5th and 6th digits in model number
 Black-00, White-15, Frost-21, Light Ash-44, Cherry Red-47
 Available in colors as indicated.



5150 Advanced Healthcare

Features:

- One Piece Phone • Lighted Keypad
- Tone Dialing • Visual Ring Indicator
- Back Ring Indicator Light
- Ringer Volume Control
- Boost Button for Patients with Hearing Loss (increases volume range to 27.5dB)
- Hearing Aid Compatible • Elastomeric Faceplate
- Designated area for Dialing Instruction Card
- #5 Key Braille Locator • 18 Ft. Modular Cord
- Optional Bed Rail Mount • Color - White

5150
Model 515015V0E20M

Also available:
Bed Mount with Mounting Strap: 515015BEDMNT
Mounting Strap Only (pkg. of 5): 515015MNTSTRAP
Coiled Cord: 515015CoilCord

9150 Basic Healthcare

Features:

- Tone/Pulse Switchable
- Mute • Redial • Flash
- Handset Volume Control
- Electronic Ringer-On/Off
- One-Piece Healthcare
- Bed Rail Mount (optional)



9150

Model 915044V0E21J

Standard Pack - 8
Standard Wt. / Pack - 12 lbs.

2933

- 6-One Touch Speed Dial Locations
- 10 Two-Touch Locations
- Redial • Pause
- Flash • Mute
- 90V Message Waiting with Indicator
- Ring Indicator
- Handset Volume Control (Hi/Lo)
- Hearing Aid Compatible
- Desk/Wall Mountable

Standard Pack - 20
Standard Wt. / Pack - 30 lbs.



2933

Model 293321TP227S

2933

Model 293300TP227S

ezTouch



2400

Model 240085V0E21F

2400

- 3-One Touch Buttons • Desk/Wall Mountable
- Large Dial Buttons • 10-Number Memory • Flash • Redial
- Braille Raised Characters • Flashing Visual Ring
- Incoming Ringer Volume Adjustment
- Hearing Aid Compatible • Line Powered
- Color: Sandstone-85

Standard Pack - 6
Standard Wt. / Pack - 15 lbs.

Single Line Telephone



2700

Model 270000TP227S

Line Powered S/L



2730

Model 273000TP227E

Features	2700	2730
Single-Line	•	•
Two-Line		
Caller ID with Call Waiting	•	•
99 CID Memory	•	•
Wide Angle LCD	•	•
3-Line Liquid Crystal Display	•	•
Wide Angle (Super Twist)	•	•
Trilingual: English, Spanish and French	•	•
Displays Caller Name, Phone Number and Time/Date	•	•
Real Time Clock and Conversation Duration Timer (CID Service Not Required)	•	•
Displays Active Line	•	•
Voice Mail Indication	•	•
FSK 90 Volt		
Stutter 24 Volt		
Mute	•	•
Hold	•	•
Hold (PBX)	•	•
On Hook Predial	•	•
Directory Name Match	•	•
10 Direct Memories	•	•
Flash	•	•
Redial - Last 10 Numbers	•	•
Conference		
Data Port	•	•
Speakerphone	•	•
2.5 mm / RJ Type Headset Jack	•	•
Desk / Wall Mountable	•	•
9V DC Adaptor	•	•
Standard Pack	8	8
Standard Weight Per Pack	28 lbs.	25 lbs.

Available in Black only

Multi-Feature Telephone



2210

Model 221000TP227E

Disposition Plus Telephone



2200

Model 220021TP227E

Speakerphone



2203

Model 220300TP227E



Patriot II BASIC
Model 2192**V0E27F

Patriot II



Patriot II MEMORY
Model 219400V0E27S
Black Only

Features

2210 2200

Features	2210	2200
Single-Line	•	•
Two-Line		
Caller ID with Call Waiting	•	•
60 Message CID Memory		
80 Message CID Memory	•	•
99 Message CID Memory		
Wide Angle LCD	•	•
3 Line Ratchet-Type	•	•
Backlit	•	•
Wide Angle (Super Twist)	•	•
Bilingual and trilingual	•	•
Icons: New Call, Repeat Call	•	•
Forward Call, Toll Call and MW		
Disposition Buttons		•
Voice Message Indication	•	•
FSK	•	•
Stutter	•	•
90 Volt / 24 Volt	•	•
Speakerphone	•	•
Mute with LED	•	•
Electronic Hold	•	•
10 Direct Memories	•	•
Flash	•	•
Redial	•	•
High Profile Ring Indicator	•	•
Multi-Step Volume Control	•	•
Data Port	•	•
Tone/Pulse Switchable	•	•
Dual Headset Jacks	•	•
Standard Operator RJ Type		
Standard Cell Phone 2.5mm		
Conference		
Standard Pack	8	8
Standard Weight Per Pack	23 lbs.	23 lbs.

Features

2203

Features	2203
Last Number Redial	•
Flash	•
100-300-600mS	
Message Waiting Lamp	•
90 Voltage	
Handset Volume Control	•
Hook Delay	•
Positive Line Disconnect	
A-Lead	•
Data Jack	•
Hearing Aid Compatible	•
Hold with LED Indicator	•
Flip-Flop Type	
Desk / Wall Mountable	•
Customized Faceplate Available	•
10 One-Touch Programming Memory	•
Mute with LED Indicator	•
Flip-Flop Type	
Hands-Free Speakerphone w/LED Indicator	•
Headset Control Switch	•
Line In-Use Status with LED Indicator	
Conference	
Two Telephone Lines	
Tone/Pulse Switchable	•
Standard Pack	8
Standard Weight Per Pack	23 lbs.

Features

2192

2194

Features	2192	2194
Desk / Wall Mountable	•	•
Flash/Redial	•	•
Pause		•
Data Port	•	•
Local Hold w/LED		•
90V Message Waiting	•	•
20 Memory Buttons		
10 One-Touch Memory Buttons		•
Handsfree		
Headset Compatible		
Ringer Volume Control	•	•
Receiver Volume Control	•	•
Visual Ring Indicator	•	•
Standard Pack	12	12
Standard Weight Per Pack	22 lbs.	23 lbs.

COLOR KEY**

5th and 6th digits in model number
Pearl Gray - 75 Black - 00
2194 Available in black only.

2109 Value - Line

- Large Backlit LCD with adjustable contrast
- Memory Dial: 4 one-touch and 10 two-touch memory
- Caller ID Type 2 (Caller ID on Call Waiting)
- Last Number Redial • Speakerphone
- Desk/Wall Mountable
- Color: Frost-21

Standard Pack - 8
Standard Wt. / Pack - 18 lbs.



2109

Model 210921V0E27S

ELT Ringer

Model 000123ELTPAK

LOUD EXTERNAL RINGER

- Compact Design
- Visual Ring Indicator
- Low/High Volume Control
- Phone and Line Jack

Standard Pack
Standard Wt. / Pack



COLOR KEY**

Frost - 21 Black - 00
5th and 6th digits in model number
Available in both colors